

SAFETY DATA SHEET Cladstikk 30

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Cladstikk 30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.

Uses advised against Use only for intended applications.

1.3. Details of the supplier of the safety data sheet

Supplier UREKA GLOBAL LTD

7 FLOWERS HILL, BRISLINGTON BRISTOL BS4 5JJ

+44 117 971 1364

sales@thenamethatsticks.com

1.4. Emergency telephone number

Emergency telephone Ureka Global +44 (0)117 971 1364 (Mon - Fri) 09:00 - 16:00

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

Additional information This product is classified as hazardous pursuant to the provisions of EC Regulation

1272/2008 (CLP) (and subsequent amendments and supplements).

2.2. Label elements

Hazard statements EUH208 Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic

reaction.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Cladstikk 30

Trimethoxy Vinylsilane 1-5%

CAS number: 2768-02-7 EC number: 220-449-8 REACH registration number: 01-

2119513215-52-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 Xn; R20. R10

Acute Tox. 4 - H332

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Effects may be delayed. Get medical attention if any discomfort continues. Show this Safety

Data Sheet to the medical personnel.

Inhalation Remove person to fresh air and keep comfortable for breathing. Get medical attention if

symptoms are severe or persist.

Ingestion Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not

enter the lungs. Rinse mouth thoroughly with water.

Skin contact Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if

symptoms are severe or persist after washing.

Eye contact Continue to rinse for at least 15 minutes and get medical attention. Remove contact lenses, if

present and easy to do. Continue rinsing.

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Powder.

Unsuitable extinguishing

Water.

media

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances: Toxic

gases or vapours.

5.3. Advice for firefighters

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Turn leaking containers leak-side up to prevent the escape of liquid. Evacuate area. For

personal protection, see Section 8. Keep away from sources of ignition - No smoking.

6.2. Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

6.3. Methods and material for containment and cleaning up

Cladstikk 30

Methods for cleaning up

Absorb spillage with sand or other inert absorbent. Do not use sawdust or other combustible

material.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep in tightly closed, original container.

Advice on general

Do not eat, drink or smoke when using this product.

occupational hygiene

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 5°C and 30°C. Maximum storage time: 6 months.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

No occupational exposure limits known.

8.2. Exposure controls

Protective equipment





Other skin and body

protection

Wear protective clothing.

Hygiene measures Provide shower facilities near the workplace. Provide eyewash station.

Respiratory protection The use of protection equipment will be necessary if a mist forms.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour No information available.

Odour Not known.

Initial boiling point and range 154°C

Evaporation rateNot applicable.Vapour pressure12 Pa @ 20°C

Relative density 1479 @ kg/m3°C

9.2. Other information

Volatile organic compound This product contains a maximum VOC content of 2.95 %.

SECTION 10: Stability and reactivity

10.1. Reactivity

Cladstikk 30

Reactivity No hazardous reactions if stored and handled as prescribed.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Avoid contact with the following materials: Alkalis. Bases.

10.6. Hazardous decomposition products

Hazardous decomposition Heating may generate the following products: Carbon dioxide (CO2). Carbon monoxide (CO).

products Other Organic Compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects No information available.

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 1,100.0

Skin corrosion/irritation

Skin corrosion/irritation May cause skin irritation.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

SECTION 12: Ecological information

12.1. Toxicity

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Bioaccumulative potential Not available.

12.4. Mobility in soil

Mobility No data available.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

Waste class 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

SECTION 14: Transport information

Cladstikk 30

General Not regulated for road, rail, inland waterways, sea or air transport.

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Compliance Manager

Revision date 06/02/2020

Revision 3

Supersedes date 28/03/2019

SDS number 22720

Hazard statements in full H226 Flammable liquid and vapour.

H332 Harmful if inhaled.

EUH208 Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic

reaction.

DIRECTIONS FOR USE

PRODUCT LOGO

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. Given the variety of factors that can affect the use and application of this product, many of which are solely within the user's knowledge and control, the user is responsible for determining whether the usage of this product is fit for a particular purpose and suitable for the user's method of use or application. It is essential that the user, not the manufacturer, evaluates this product to determine whether it is fit for a particular purpose and suitable for the user's method of use or application.